

Name: _____
Date: _____
Track: _____


Track Conditions

Size: Open Med. Tight
Traction: High Med. Low
Surface: Smooth Med. Bumpy

Result


Race Time / Lap: _____
Best Lap (1Lap): _____

Front Suspension




Tension Rod: E2107A(Long)
 E2107B(Short)

Upper Arm Position:




Ride Height: _____
Toe Angle: _____
Kingpin Ball Spacer: _____
Wheel Hub: _____
Anti Roll Bar: _____
Upper Arm Spacer: _____




Lower Arm Spacer: _____

Lower Arm Position (Kick Up):




Front Shocks

Piston: _____
Oil: _____
Spring: _____
Spring Adj: _____




Pivot Ball Position: Front Rear


Rear Suspension




Upper Arm Position:



Lower Arm Position (Anti-Squat):




Ride Height: _____
Camber Angle: _____
Wheel Hub: _____
Anti Roll Bar: _____
Lower Arm Spacer: _____



Upright Spacer: _____


Upright: E2106-B
 E2118(Aluminum)

Lower Arm Position (Toe Angle):



Rear Shocks

Piston: _____
Oil: _____
Spring: _____
Spring Adj: _____



Pivot Ball Position: Front Rear

Engine

Type: _____ Plug: _____
Gasket: _____ Reducer: _____
Muffler: _____ Fuel: _____
Engine Mount: E0701(Standard) E2701(One Piece)

Diff. Oil

Front: _____ O-Ring: _____ pcs.
Center: _____ pcs.
Rear: _____ pcs.

Tires

	Front	Rear
Type:	_____	_____
Compound:	_____	_____
Inserts:	_____	_____
Wheel:	_____	_____

Clutch

Clutch Bell: _____ Spur Gear: _____
Clutch Shoes: _____
Clutch Spring: _____

Body/Wing

Body: _____
Wing: _____

Wing Position:

Comments

MBX7R steering ackerman rack (middle position).

.....
.....
.....